



# Product Brochure

Providing reliable plant  
hire solutions across  
the UK, with expert  
servicing and support.

## About Us

With over 30 years of plant hire experience, TCP Plant is one of the UK's leading providers of construction, plant and compaction equipment. In addition to our own range of lighting towers,

you can rent plant machinery from respected brands such as Durite, Wacker Neuson, Hatz, and Zallys. We provide a fully managed service, ensuring quick delivery and nationwide support.

## Lighting



### Ecolite-T

Diesel mobile lighting tower with low-energy LEDs and Primalense technology.

- **Noise:** 85 dBa LWA
- **Extended height:** 9.1m (hydraulic)
- **Safety:** TCP AMOSS
- **Unladen weight:** 750kg
- **Fuel capacity:** 95 litres of diesel
- **Fuel consumption:** 0.5 litres/hour
- **Run time:** Up to 170 hours



Choose between CDM (Ceramic Discharge Metal-halide) and low energy LED lights.

## Compaction rollers



### Rammax RW1585HF

A remote-controlled roller, perfect for narrow and difficult trenches.

- **Operating weight:** 1480kg
- **Centrifugal force:** 86kN
- **Drum widths:** 630mm (850mm optional)
- **Manouverability:** Turns within own length



Solar-powered infrared remote control available to reduce hand/arm vibrations (HAV).

## Compaction rollers (continued)



### RTx SC-3 Roller

A remote-controlled, fully-articulated roller for manoeuvrability around curved structures.

- **Operating weight:** 1560kg
- **Length:** 1855mm
- **Centrifugal force:** 68.4kN
- **Drum widths:** 560mm (820mm optional)



A below-axle exciter in each drum results in increased compaction energy and improved stability.



### BOMAG 124

Robust roller designed for heavy compaction, distribution, and backfilling in trenches.

- **Operating weight:** 3390kg
- **Centrifugal force:** 85kN
- **Drum width:** 1200mm
- **Modes:** ECOMODE (fuel-saving)



The unique dual-pump drive allows you to take on challenging terrain while providing excellent gradeability.



### Rammax RW5005

A single-drum roller with a twin-lock system for extremely-high gradeability.

- **Operating weight:** 4800kg
- **Overall length:** 4030mm
- **Centrifugal force:** 85kN
- **Drum width:** 1400mm



Features a fully enclosed cab with rollover protection system (ROPS) to ensure user safety regardless of the weather.

## Compaction rollers (continued)



### Hamm H5i P

Powerful roller designed for large areas of cut and fill material or bulk compaction.

- **Operating weight:** 5155kg
- **Centrifugal force:** 69kN
- **Drum width:** 1370mm
- **Height of pad foot:** 80mm



Features a fully enclosed cab with excellent visibility, climate control, and an adjustable driving seat.



### Hamm H7i P

Single drum roller with self-locking differential and all-wheel drive, perfect for rough terrain.

- **Operating weight:** 6410kg
- **Centrifugal force:** 125kN
- **Drum width:** 1680mm
- **Height of pad foot:** 80mm



Features a fully enclosed cab with excellent visibility, climate control, and an adjustable driving seat.



### Hamm H7i

Vibratory smooth drum roller with a short wheelbase and a three-point swivel joint.

- **Operating weight:** 6540kg
- **Centrifugal force:** 125kN
- **Drum width:** 1680mm
- **Drum diameter:** 1216mm



Features a fully enclosed cab with excellent visibility, climate control, and an adjustable driving seat.

## Compaction plates




### DPU80r Compaction Plate

Compact and remote controlled compaction plate, perfect for confined spaces and trenches.

- **Operating weight:** 703 or 724kg
- **Operating width:** 670 or 770mm
- **Centrifugal force:** 80kN
- **Manouverability:** Turns within own length



The operator is safely isolated from the machine's vibration, noise, and emissions via remote control.



### DPU110r Reversible Plate

Reversible vibratory compaction plate designed for demanding work, such as road construction.

- **Operating weight:** 830kg
- **Centrifugal force:** 110kN
- **Operating width:** 970mm
- **Ground clearance:** 830mm



The operator is safely isolated from the machine's vibration, noise, and emissions via remote control.



### DPU130r Heavy Duty Plate

Powerful vibratory plate comparable to the performance of a 7-tonne roller.

- **Operating weight:** 1170kg
- **Centrifugal force:** 130kN
- **Operating width:** 1200mm
- **Ground clearance:** 996mm



The operator is safely isolated from the machine's vibration, noise, and emissions via remote control.

# Dumpers



## Hi-T500 Mini Tracked Dumper

Powerful tracked dumper with an ergonomically designed operating position.

- **Max capacity:** 500kg
- **Width:** 698mm
- **Unladen weight:** 500kg
- **Turning circle:** 2000mm



Exclusive high tipping linkage design allows for a full 180° discharge of the payload at low level.



## Zallys Battery Dumper

Compact, emission-free dumper suitable for tight spaces and congested areas.

- **Max capacity:** 500kg
- **Width:** 785mm (option of 670mm)
- **Unladen weight:** 112kg
- **Turning circle:** 2400mm



Silent, one-person operation. Robust yet agile design enables operatives to navigate confined spaces with ease.





# Get in touch

[tcp-plant.co.uk](http://tcp-plant.co.uk)

[0345 4501601](tel:03454501601)

Quayside Industrial Park,  
Bates Road, Maldon,  
Essex, CM9 5FA